
CRT Test Importing

In order to import CRT Tests the following conditions must be met:


- 1. The SQL Server must have a database set up that the CRT tests will be imported into viz. SISTestdatadb.
- 2. There must be an application variable set up in the Global.asa file on the Web server as follows: Application("test_database") = "SISTestdatadb"
- 3. The latest CRTImport.dll must be registered on the Web (preferably by using Component Services found in the Control Panel under administrative tools).

The Import process is as follows:

- 1. Unzip the alternate format CRT extract record and rename the CRT files with a *.txt extension.
- 2. A Master Test Record needs to be set up for each CRT Test that will be imported. Don't worry about setting up the subtests—the import will do this for you.



- 3. Create a Test Instance for the CRT Test that will be imported.
- 4. After saving the Test Instance Record, a button will become available that is labeled "CRT Import". Press this button and verify that you want to do a CRT import when asked.



Copyright (c) 2000 - Utah State Office of Education All rights reserved. Unauthorized use is prohibited.

5. The next screen allows a browse to the file that is to be imported—choose a file and press the Import button on this screen. Most large files take about 5 to 15 minutes to import. When complete a web page will appear showing the file size and number of records that have been imported.



The page then shows Uploading data, please wait.



Uploading data, please wait...

Finally a success message is returned showing the file name, size, and total number of records imported.

FILES SUCCESSFULLY IMPORTED

Imported Test Data		
File Name	File Size	Number of Records
LA0101R.TXT	12519632 Bytes	82365 Rec(s)

Elapsed Time: 475.65 seconds

Close

6. If you get the following error it means that the CRTImport.dll is not registered or is not running.

The page cannot be displayed

There is a problem with the page you are trying to reach and it cannot be displayed.

Please try the following:

- · Click the Refresh button, or try again later.
- Open the <u>siswebdev</u> home page, and then look for links to the information you want.

HTTP 500.100 - Internal Server Error - ASP error Internet Information Services

Technical Information (for support personnel)

· Error Type:

Server object, ASP 0177 (0x8000401A)
The server process could not be started because the configured identity is incorrect. Check the username and password.

/sisdev/Admin/Testing/sis_AdmLoadTestData.asp, line 11

· Browser Type:

Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Page:

GET /sisdev/Admin/Testing/sis_AdmLoadTestData.asp? testuniq=100000007

Time:

Monday, February 10, 2003, 11:29:10 AM

More information:

Microsoft Support